Integrated Flight Test - 6 Preliminary Results Press Briefing



9 August 2001

MG Willie B. Nance Jr., USA
Program Executive Officer & System Program Director

HOW WE CONDUCTED INTEGRATED FLIGHT TEST - 6 Overhead Sensors In-Flight Vehicle Interceptor Communications System Target Launch Ground Vehicle Early Station Warning Radar Payload FPQ-14 Radar Launch Beale, CA Vandenberg Vehicle Air Force Base Hawaii **Battle Management** Colorado Springs **Battle Ground Based** Management Total Distance – 5,000 Miles Radar - Prototype Time of Flight – 30 Minutes Closing Velocity - 4.6 Miles/Sec Kwajalein Planned Intercept Altitude - 144 Miles JN-01-07-01108-R10-(IFT-6 Press Briefno Header)-(08-08-01)-(U) 2

WHY WE USE TEST SURROGATES

ELEMENT/COMPONENT

TEST CONFIGURATION

Upgraded Early Warning Radar	Tracks Outbound Target Location Not Operationally Representative
FPQ-14 Radar	Surrogate Early Warning Radar Tracks C-Band Transponder Radar Not Operationally Representative
Ground Based Radar-Prototype	Smaller Than Operational Radar Location Not Operationally Representative
Payload Launch Vehicle	Two Stage Booster
Re-Entry Vehicle	Instrumented for Truth Data, Safety, and Telemetry


WHY WE USE RANGE ASSETS


- Safety
- Truth

Contingency


TARGET LAUNCH VEHICLE

TARGET CLUSTER







TEST RESULTS BOOST PHASE




TEST RESULTS MIDCOURSE PHASE




KILL VEHICLE END GAME






AS SEEN BY KILL VEHICLE



LAST FRAME





INTERCEPT AS SEEN BY SUPER RADOT

INTERCEPT ACCURACY

Point of Intercept

Range Radar





Preliminary Results Indicate IFT-6 Intercept a More Severe Impact Than IFT-3

INTEGRATED FLIGHT TEST- 6 OBJECTIVES SUMMARY

OVERHEAD SENSOR	
Detect	1
Acquire	1
Track	1

Ground Based Radar-Prototype	
Detect	1
Acquire	1
Track	1
Discriminate	1
Hit Assess	O

Battle Management	
Communicate	1
Integrated Engagement Planning	1
Weapons Release Authority	1
Human In Control	1
In-Flight Interceptor Communications System	J

Early Warning Radar	
Detect	1
Acquire	1
Track	1

1
1
1
1
1
1
1

Integration of	1
Elements	

Ground Based Radar-Prototype Hit Assessment Solution


Cause

Remedy

- Software Attempted to Add and Delete the Same Track File in the Same Cycle
- Locked the Object Data Base
- Prevented Further Track Updates

- A Software Fix
- Allow Addition and Deletion of the Same Track File in the Same Cycle

SUMMARY



- A Successful Test
- Builds Confidence We Can Make System Work
- Will Fix Hit Assessment Software For Integrated Flight Test 7
- Other Elements Performed As Expected We Are Continuing To Improve Them
- Test Bed Improvements Required to Eliminate Test Surrogates